

# Flo-Guard breathing filter







**Airway Management** • Breathing Filters







#### Flo-Guard

## Low-resistance breathing filter for CPAP and bilevel

The Flo-Guard breathing filter is designed to be used at the machine end of a breathing system to protect the patient and machine against cross contamination, while maintaining a low resistance across a wide range of flow rates.

The low resistance makes it an ideal filter for use in both the hospital and the home where high flow rates may potentially be used, this includes CPAP, bilevel and cough assist applications.

The Flo-Guard offers an excellent bacterial and viral filtration efficiency while offering the lowest resistance to flow available at very high flow rates.

### Electrostatic filter media

Providing an excellent filtration efficiency

#### Large surface area

To reduce resistance to flow

INTERSURGICAL SOMPLETE RESPIRATORY SYSTEMS

Conical shape
To aid airflow

# Clear housing

For good visibility

Code	1690000
Box Qty.	50
Filtration efficiency	>99.99%
Resistance at 30 L/min	0.4 cm H <sub>2</sub> O
Resistance at 60 L/min	0.8 cm H <sub>2</sub> O
Resistance at 90 L/min	1.4 cm H <sub>2</sub> O
Resistance at 120 L/min	2.0 cm H <sub>2</sub> O
Resistance at 150 Lmin	2.7 cm H <sub>2</sub> O
Resistance at 180 L/min	3.4 cm H <sub>2</sub> O
Resistance at 210 L/min	4.3 cm H <sub>2</sub> O
Resistance at 240 L/min	5.1 cm H <sub>2</sub> O
Compressible volume	80 ml
Weight	27.8 g
Connectors	22ID-22OD



Make an inquiry

Please think before you print Save energy and paper. If you must print this information sheet please print it double sided.

U.S. Lit No. 107.6 / IS12.19 US \* Issue 7 07.24



Intersurgical Inc, 2055 Executive Dr. Indianapolis, IN 46241, USA

T: 800-828-9633 F: 315-451-3696 support@intersurgicalinc.com www.intersurgicalinc.com